### REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-98-

æs,
this
son
son

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the gathering and maintaining the data needed, and completing and reviewing the collection of information. Send cor collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, E.

0660

Dav	ris Highway, Suite 1204, Arlington, VA 22202	-4302, and to the Office of Management ar	nd Budget, Paperwork Reduc	, (),	
1.	AGENCY USE ONLY (Leave Blank)	2. REPORT DATE 09/09/98	REPORT TYPE AND DA     Final Technical Report,		
4.	4. TITLE AND SUBTITLE Support for Graduate Research in Supersonic Reacting Flows  Ogrob/98  Final Technical Report, 0  Final Tec			5. FUNDING NUMBERS PE – 61103D PR - 3484 SA - WS	
6.	AUTHORS M.G. Mungal			G – F49620-95-1-0448	
7.	7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mechanical Engineering Department Stanford University Stanford, CA 94305-3032			8. PERFORMING ORGANIZATION REPORT NUMBER	
9.	SPONSORING / MONITORING AG AFOSR/NA 110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-0001	GENCY NAME(S) AND ADDRESS	(ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11.	SUPPLEMENTARY NOTES				
128	a. DISTRIBUTION / AVAILABILITY Approved for public release; distrib			12b. DISTRIBUTION CODE	
13.	This work was aimed at obtaining a more fundamental understanding of mixing and combustion in supersonic flows. Advanced laser-based techniques for measurements in an existing supersonic shear layer facility were primarily used. The main scientific question addressed was a comparison of the similarities and differences between mixing and reaction when compressibility plays a significant role. To this end, Particle Image Velocimetry (PIV) was used to obtain detailed, whole-field velocity measurements under a range of compressibility conditions. These measurements are complementary to earlier measurements of scalar concentrations in similar flows. New observations concerning the nature of the instantaneous velocity and vorticity fields were made as a function of compressibility. In addition, Planar Laser Mie Scattering is used to obtain structure velocity measurements for comparison with the actual fluid velocities.				
14. SUBJECT TERMS supersonic flow, mixing, reaction,compressibility, Particle Image Velocimetry (PIV)			15. NUMBER OF PAGES		
				16. PRICE CODE	
17.	SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATIO OF THIS PAGE Unclassified	N 19. SECURITY CLASS OF ABSTRACT Unclassified	SIFICATION 20. LIMITATION OF ABSTRACT UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-1 298-102



### Final Report for AASERT Grant F49620-95-1-0448 01 July 1995 - 30 June 1998

M. G. Mungal Mechanical Engineering Department Stanford University Stanford, CA 94305-3032

### **Abstract:**

This work was aimed at obtaining a more fundamental understanding of mixing and combustion in supersonic flows. Advanced laser-based techniques for measurements in an existing supersonic shear layer facility were primarily used. The main scientific question addressed was a comparison of the similarities and differences between mixing and reaction when compressibility plays a significant role. To this end, Particle Image Velocimetry (PIV) was used to obtain detailed, whole-field velocity measurements under a range of compressibility conditions. These measurements are complementary to earlier measurements of scalar concentrations in similar flows. New observations concerning the nature of the instantaneous velocity and vorticity fields were made as a function of compressibility. In addition, Planar Laser Mie Scattering is used to obtain structure velocity measurements for comparison with the actual fluid velocities.

### Accomplishments:

Our experiments were conducted in a large-scale, dual-stream facility in which the high-speed stream is supersonic with the capability of vitiation heating to stagnation temperatures of under 2000K. The low-speed stream is subsonic, with a stagnation temperature of 300K. Our design modifies both flow trains to divert part of the flow into the seeders which use fine alumina as the seed material; this flow is then recombined with the main flow before entering the test section. We have demonstrated the very satisfactory performance of this high-flow tunnel for PIV measurements. In addition, double-pulse scalar velocimetry is performed for comparison with the PIV results.

We have obtained detailed PIV images in compressible flows during this contract, providing the first such measurements of the planar velocity field. Owing to the higher degree of three dimensionality, we have had to implement a spinning mirror as part of the PIV setup to eliminate data dropout with data yields in excess of 98%. Convective Mach numbers investigated were 0.28 (low compressibility), 0.63 (moderate compressibility) and 0.79 (high compressibility).

We were able to demonstrate that our PIV measurements recover the same values for Reynolds stresses as found in earlier LDV studies of compressible mixing layers, thus implying accurate measurement of the velocity field. Some of our main findings concern the wave-like appearance of the instantaneous velocity field, the variation in the instantaneous transverse velocities in the layer under compressible conditions where we observe significant perturbations to the error-function mean profile with even local minima within the layer and considerable streamwise meandering with wavelengths which decrease with compressibility. We are also able to observe steep velocity gradients at the instantaneous sonic line, suggesting that the flow would be receptive to disturbances from the lab frame. The vorticity is seen to be sheet-like in nature and mimics the scalar images seen in previous studies. Additional data includes the interaction of a shock with the mixing layer to determine the changes that are produced. We are presently performing a thorough and final comparison of the velocity and vorticity fields among the various cases to highlight the effects of compressibility upon turbulent mixing; these results will be

# <u>AUGMENTATION AWARDS FOR SCIENCE & ENGINEERING RESEARCH TRAINING (AASERT)</u> <u>REPORTING FORM</u>

The Department of Defense (DoD) requires certain information to evaluate the effectiveness of the AASERT Program. By accepting this Grant which bestows the AASERT funds, the Grantee agrees to provide 1) a brief (not to exceed one page) narrative technical report of the research training activities of the AASERT-funded student(s) and 2) the information requested below. This information should be provided to the Government's technical point of contact by each annual anniversary of the AASERT award date.

1. Grantee identification	data: (R&T and Grant nu	mbers found on Page 1 of Grant)
a. <u>Stanford Un</u> University Name	niversity	
b. F49620-95-1	L-0448	
Grant Number		cR&T Number
d. M.G. Mungal	! !	e. From: 1 July 1995 To: 30 June 1998
P.I. Name	7.00.	e. From: To:  AASERT Reporting Period
NOTE: Grant to which A	ASERT award is attached	is referred to hereafter as "Parent Agreement".
<ol> <li>Total funding of the I supported by the Parent Ag</li> <li>a. Funding:</li> </ol>	Parent Agreement and the greement during the 12-mo	number of full-time equivalent graduate students (FTEGS) nth period prior to the AASERT award date.
J	190,429	
b. Number FTEGS:		
3. Total funding of the Pa the current 12-month repor	rent Agreement and the nating period.	umber of FTEGS supported by the Parent Agreement during
a. Funding:	<b>s</b> 0	
b. Number FTEGS:	0	
4. Total AASERT funding funds during the current 12	and the number of FTEG -month reporting period.	S and undergraduate students (UGS) supported by AASERT
a. Funding:	<b>s</b> 40,000	· 
b. Number FTEGS:	1	
c. Number UGS:	0	<del></del>
VERIFICATION STATEM citizens.	IENT: I hereby verify th	at all students supported by the AASERT award are U.S.
M:8.	- Jel	September 9, 1998
Principal Investigator	V .	Date

## Principal Investigator Annual Data Collection (PIADC) Survey Form

<u>NOTE:</u> If there is insufficient space on this survey to meet your data submission, please submit additional data in the same format as identified below.

<u>PI DATA</u>		
Name(last, First, MI) Mungal, M.G.	AFOSR USE ONLY	
Institution: Stanford University	Project/Subarea	
Contract/Grant No.: AASERT F49620-95-0448	NX	
	FY	
NUMBER OF CONTRACT/GRANT CO-INV	<u>ESTIGATORS</u>	
Faculty 1 Post doctorates Graduate Stude	ent1_ Other	
PUBLICATIONS RELATED TO AFOREMENTIONEI	CONTRACT/GRANT	
NOTE: List names in the following format: Last Name, First Name, MI		
Include: Articles in peer reviewed publications, journals, book chapters, an	d editorships of books.	
<u>Do not include</u> : Unreviewed proceedings and reports, abstracts, "Scientific are not primary reports of new data, and articles submitted or accepted for outside the stated time frame.	American" type articles, or articles that publication, but with a publication date	
Name of Journal, Book, etc: none		
Title of Article:		
Author(s):		
Publisher (if applicable):	· · · · · · · · · · · · · · · · · · ·	
Vol: Page(s): Month Published: Ye	ar Published:	
Name of Journal, Book, etc:		
Title of Article:		
Author(s):	<del></del>	
Publisher (if applicable)		
Volume: Page(s): Month Published: Y	Year Published:	

## HONORS/AWARDS RECEIVED DURING CONTRACT/GRANT LIFETIME

<u>Include</u>: All honors and awards received during the lifetime of the contrat or grant, and any life achievement honors such as (Nobel prize, honorary doctorates, and society fellowships) prior to this contract or grant

<u>Do Not Include</u>: Honors and awards unrelated to the scienftifc field covered by the contract/grant.

Honor/Award	none	Year	Received:
Honor/Award Rec	ipient(s):		
Awarding Organiz	ation:		

become the Ph.D. thesis of Mr. W. D. Urban, and should be formally completed by December 1998.

Finally, under separate funding from the NSF we have been able to perform a companion study where sub-boundary layer disturbances have been used to perturb the mixing layer. Using PIV we have been able to compare those results to the present results and show conclusively that streamwise vortices are formed that lead to profound changes in the layer structure.

The following papers have been presented during the course of this work:

- 1. W. D. Urban & M. G. Mungal (1997), "Planar Velocity Measurements in Compressible Mixing Layers", AIAA-97-0757, 35th AIAA Aerospace Sciences Meeting, Reno, NV.
- 2. W. D. Urban & M. G. Mungal (1997), "Fluid and Structure Velocity Measurements in Compressible Mixing Layers", FEDSM97-3155, ASME Fluids Engineering Division Summer Meeting, Vancouver, British Columbia, June 22-26, 1997.
- 3. W. D. Urban & M. G. Mungal (1997) "Velocity Field Measurements in Compressible Mixing Layers", Bull. Amer. Phys. Soc., 42 (11), 2210, Nov. 1997.
- 4. W. D. Urban, S. Watanabe & M. G. Mungal (1998), "Velocity Field of the Planar Shear Layer: Compressibility Effects", AIAA-98-0697, 36th AIAA Aerospace Sciences Meeting, Reno, NV.
- 5. W. D. Urban & M. G. Mungal (1998), "A PIV Study of Compressible Shear Layers", Ninth International Symposium on Applications of Laser Techniques to Fluid Mechanics, 13-16 July 1998, Lisbon, Portugal.

#### Personnel:

Mr. William D. Urban is the graduate student involved in the work described here. This work constitutes the major part of his Ph.D. studies, in co-sponsorship with the NSF. He is in the process of writing up his Ph.D. dissertation which will be defended in the fall of 1998. Archival publications will then be forthcoming.